



GREENVIEW®

Seed Starter Fertilizer plus Crabgrass Preventer

DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS

(See list on back)

ACTIVE INGREDIENT:			
Siduron*	3.71%	
OTHER INGREDIENTS:		96.29%	
TOTAL		100.00%	
CAS. No. 1982-49-6	(L)	(D)	
EPA Reg. No. 961-319	EPA Est. No. 961-PA-01:961-IL-01		
*Also known as Tupersan®.		Superscript used is first letter of lot number.	

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for First Aid and additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT.
USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.
If terms are not acceptable, return the unopened container to the place of purchase at once.

Fertilizes for superior seed
germination and growth

Prevents crabgrass without
harming new grass seedlings

PLUS Triple Action Feature Permits
Seeding, Crabgrass Control and
Fertilization At The Same Time

Treats 6,000 sq. ft.

11-23-10

Net Weight 15 lbs.
(6.81 kg.)

DO NOT USE ON BERMUDAGRASS OR CERTAIN BENTGRASS STRAINS

(See list on back)

ACTIVE INGREDIENT:

Siduron*:..... 3.71%

OTHER INGREDIENTS:..... 96.29%

TOTAL..... 100.00%

CAS. No. 1982-49-6

(L)

(D)

EPA Reg. No. 961-319

EPA Est. No. 961-PA-01:961-IL-01

*Also known as Tupersan®.

Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for First Aid and additional Precautionary Statements

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT.

USE ONLY ACCORDING TO LABEL INSTRUCTIONS.

Before buying this product, read the Warranty Section elsewhere on this label.

If terms are not acceptable, return the unopened container to the place of purchase at once.

**Fertilizes for superior seed
germination and growth**

**Prevents crabgrass without
harming new grass seedlings**

**PLUS Triple Action Feature Permits
Seeding, Crabgrass Control and
Fertilization At The Same Time**

Treats 6,000 sq. ft.

11-23-10



GREENVIEW®

Seed Starter Fertilizer plus Crabgrass Preventer

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

IF ON SKIN: OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

Restrictions

Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application.

Do not enter or allow people or pets to enter the treated area until dusts have settled.

If watering-in is required after the application, do not enter or allow people or pets to enter the treated area (except those involved in the watering) until the watering-in is complete and the surface is dry.

Non-target plants can be adversely affected by this product.

Fertilizes grass and controls crabgrass before it emerges as an unsightly lawn weed. Can be used on newly-seeded areas. It will not harm germination of grass seed.

For use on newly-seeded or established plantings of the following grasses:

Bluegrass
Fescue
Redtop

Smooth Brome
Perennial Ryegrass

Orchardgrass
Zoysiagrass

Bentgrass Strains as follows:

Penncross
Seaside

Highland
Astoria

Nimisila
C-1, C-7 and C-19

DO NOT USE ON OTHER BENTGRASS STRAINS OR BERMUDAGRASS

APPLICATION INSTRUCTIONS

1. Rake the lawn to remove leaves and other debris.

2. **On Established Lawns:** Apply at the rate of 5 lbs. per 1,000 sq. ft. (15 lb. bag covers 3,000 sq. ft.). Apply after the 1st or 2nd mowing (usually at the time forsythia blossoms start to fall) in the Spring before crabgrass and other annual grass weeds emerge.

3. **On Newly-Seeded Areas:** Apply at the rate of 2½ lbs. per 1,000 sq. ft. (15 lb. bag covers 6,000 sq. ft.). Apply immediately after seeding in early Spring before crabgrass and other annual weeds emerge.

4. Apply with a fertilizer spreader (see settings below) to insure even coverage.

5. If it does not rain for three days after application, water the treated area thoroughly to get desired results. Timing application just ahead of a predicted rain is ideal.

NOTE: Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

NOTE: This product contains the secondary nutrient iron. Iron may stain concrete and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

Drop Spreaders

Apply in a single pass at a rate of 2 1/2 lbs. (New Lawns) or 5 lbs. (Established Lawns) per 1,000 sq. ft. Start on the outside border and apply in a rectangular path working back and forth across the length of the lawn. Overlap the coverage slightly, and shut off spreader before making hard turns.

Broadcast Spreaders

Apply in a single pass at a rate of 2 1/2 lbs. (New Lawns) or 5 lbs. (Established Lawns) per 1,000 sq. ft. Start on the outside border and apply in a circular path working toward the center. Overlap the coverage slightly, and shut off spreader before making hard turns.


Drop Spreader

2½#

5#



Greenview® Drop-Spred® XP1	14	15½
Greenview® Drop-Spred® III	3½	7
Agri-Fab® Drop	4	5
Red Devil Drop (1-5)	4	5
Republic Drop	5	6
Scotts Drop PF1	3½	6



If your spreader model does not appear, go to our website at www.lebsea.com, or call toll-free 800-233-1067, 8 A.M. - 5 P.M. EDT, Monday - Friday, for additional model settings.

NOTE: Above spreader settings are approximate. Check your spreader on 100 sq. ft. and adjust to apply 4 oz. at 2½ lb. setting, 8 oz. at 5 lb. setting. Rate of walk, moisture and spreader condition can vary the spreader setting necessary to apply the correct amount.


Broadcast Spreader

2½#

5#



Greenview® Jet-Spred® SS1	14	18
Greenview® Jet-Spred® III	4½	5½
Agri-Fab® Rotary	3½	5
Cyclone Rotary	4	5
Earthway Rotary	14	18
Red Devil Rotary (1-10)	3	4
Republic Rotary	3	4
Sears Craftsman Rotary	3½	5
Scotts SpeedyGreen® 1000	4	5½
Scotts SpeedyGreen® 2000,3000	4	5½



Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FERTILIZER

Guaranteed Analysis

Total Nitrogen (N)	11%
7.6% Ammoniacal Nitrogen	
3.4% Urea	
Available Phosphate (P ₂ O ₅)	23%
Soluble Potash (K ₂ O)	10%
Sulfur (S)	4.0%
4.0% Combined Sulfur (S)	
Iron (Fe)	0.5%
0.05% Water Soluble Iron	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.	
Chlorine (Cl) not more than.....	9.0%

Information regarding the contents and levels of metals in this product is available on the Internet
at <http://www.regulatory-info-lebsea.com>

F699

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

GREENVIEW®

Manufactured by:
LEBANON SEABOARD CORPORATION
1600 East Cumberland Street
Lebanon, PA 17042